



2017 ATVS AND SIDE BY SIDES  
EUROPA / ONROAD AND OFFROAD  
MODEL YEAR 2017 / ENGLISH

# THE WORLD OF ARCTIC CAT

Download the Layar app on  
your iPhone® or Android™  
and scan each page in this  
brochure for all the details



SCAN WITH LAYAR



# ALTERRA 300/400



The newly styled 2WD 300 offers the largest fuel tank and highest rack capacity in its class. The 400 comes with four-wheel independent suspension, 4WD and high-strength tubular steel construction. Got things to do? Hop on these two.



**ALTERRA 300**

- Single-lever hydraulic disc brakes
- Highest rack capacity
- Largest fuel tank in the category



**ALTERRA 400 4X4**

- Four-wheel independent suspension
- The most comfortable seating and handlebar positioning
- High-grade composite construction racks with a high-strength tubular steel structure



SCAN WITH LAYAR

Some models shown with accessories. Images all rights reserved. Pictures taken on private land with contract rights.

# ALTERRA 450



The Alterra 450 features a 443cc, EFI motor and improved ergonomics that'll help you haul up to 1.360 kg and tow up to 400 kg (T3) comfortably.



## ALTERRA 450 4X4

- Four-wheel independent suspension
- The most comfortable seating and handlebar positioning
- High-grade composite construction racks with a high-strength tubular steel structure



SCAN WITH LAYAR

Some models shown with accessories. Images all rights reserved. Pictures taken on private land with contract rights.

# XC 450



## XC 450

- Aggressive sport feel and 2WD/4WD control
- Quick and nimble handling
- 443cc, SOHC EFI 4-stroke engine delivers quick response

# ALTERRA 700/1000



The Alterra 700 XT features a 695cc, H1 EFI motor and improved ergonomics that reduce handling effort. And with the smooth electronic power steering and anti-slip composite racks, your load will stay in place no matter how unbeaten the path may be.

ALTERRA 700



ALTERRA 700 XT



## ALTERRA 700 XT RIDE PACKAGE FEATURES

- Electronic power steering (EPS)
- Aluminum rims
- Automotive-style paint
- LED headlights and taillights / LED indicators
- Towing device (50mm ball) with trailer connector (7-pin)
- Winch front 3,000 lbs./1,360 kg

A beefy 951cc, H2 EFI 4-stroke engine gets this machine up and running. But what's power without traction and control? With the high-strength, low alloy steel frame, the muscle gets to the ground while the electronic power steering makes the journey easier to navigate.

1000 XT  
(MY 2016)



## 1000 XT RIDE PACKAGE FEATURES

- Industry-exclusive closed-loop EFI
- Variable rate electronic power steering
- Aluminum rims
- Automotive-style paint
- Towing device (50mm ball)
- Winch front 3,000 lbs./1,360 kg

# ALTERRA TRV



Anywhere your Alterra™ goes, your passenger will stay comfortable with the high-back seat with three-position passenger handhold — and you'll both enjoy getting there with the Duramatic™ automatic transmission and on-the-fly 2WD/4WD. As for your ride-alongs, don't worry. They'll stay put on the anti-slip speed racks, front and back.

ALTERRA TRV® 550



ALTERRA TRV® 550 XT



ALTERRA TRV 700



ALTERRA TRV 700 XT



ALTERRA TRV 1000 XT



## ALTERRA TRV XT RIDE PACKAGE FEATURES

- Electronic power steering (EPS)
- Aluminum rims
- Automotive-style paint
- LED headlights and taillights / LED indicators
- Towing device (50mm ball) with trailer connector (7-pin)
- Winch front 3,000 lbs./1,360 kg
- Operator Presence Control (OPC) - only T3 models




SCAN WITH LAYAR

Some models shown with accessories. Images all rights reserved. Pictures taken on private land with contract rights.

You've got too much earth to cover to slow down, stop and wish you had the right gear for work or play. You know that being unprepared is the enemy of a productive day, and that's why you need to accessorize the right way for every ride. Whether you're on a mission to win, work, unwind or find higher hunting ground, prepare yourself for the wide world with genuine Arctic Cat accessories that can help you own it.

# ACCEssorize YOUR WORLD



ARCTICCAT.eu



Some models shown with accessories. Images all rights reserved. Pictures taken on privat land with contract rights.

# PROWLER



SCAN WITH LAYAR

Some models shown with accessories. Images are not to scale. All rights reserved. Pictures taken on private land with contract rights.

Trail ready and farm approved, these machines offer class-leading storage and a tilting rear cargo box that hauls up to 227 kg / 500 lbs. The 500 moves it all with a smooth 443cc, SOHC engine designed with a closed-loop EFI system that boasts 25% better fuel economy.

PROWLER® 500



The XT models come with a bigger motor (951cc), 272 kg / 600-lb. carrying capacity and a huge underhood storage space. Equipped with tough Surlyn® body panels and an HSLA steel frame, these Prowlers are ready to take you anywhere you want to go.

PROWLER® 1000 XT



## PROWLER 1000 XT RIDE PACKAGE FEATURES

- Electronic power steering (EPS)
- Four-wheel hydraulic disc brakes by Hayes
- Aluminum rims

# HDX



The HDX™ is ready for whatever you toss its way and can haul it, too. The machines feature a two-in-one cargo box/flatbed that can carry up to 1,000 lbs. They also offer industry-leading enclosed storage space and FOX FLOAT® air adjustable rear shocks.

HDX 700 XT



#### HDX XT RIDE PACKAGE FEATURES

- Industry-leading rear cargo box volume with 1,000-lb. capacity
- FOX FLOAT air adjustable rear shocks for better load handling
- Three-person bench seat



SCAN WITH LAYAR

Some models shown with accessories. Images all rights reserved. Pictures taken on private land with contractor permits.

# Wildcat Sport



A low center of gravity and high power-to-weight ratio give you better acceleration, climbing ability and top end speed. The nitrogen-charged JRI ECX shocks will keep you comfortable and grounded all day as you rock with 13" of clearance on or off the trail.

WILDCAT SPORT XT™



## WILDCAT SPORT XT RIDE PACKAGE FEATURES

- Aluminum rims
- 700cc, Twin Cylinder
- JRI ECX Compression Adjustable Shocks



SCAN WITH LAYAR

Some models shown with accessories. Images all rights reserved. Pictures taken on privat land with contract rights.

# WildCat TRAIL

CLOSED TO  
VEHICLES  
OVER  
50" WIDE



With a 700 twin engine, compact powertrain design, 40/60 weight distribution and low center of gravity, this bad boy will take you to places unknown. And at only 50" wide, you can haul the Trail to narrow paths in the back of your truck.

WILDCAT TRAIL XT  
(MY 2016)



## WILDCAT TRAIL XT RIDE PACKAGE FEATURES

- Half doors
- FOX shocks
- Aluminum rims
- Automotive-style paint



SCAN WITH LAYAR

Some models shown with accessories. Images all rights reserved. Pictures taken on private land with contract rights.

# Wildcat X



With the all-new RG™ Pro rear suspension, King shocks and KMC wheels, the Wildcat™ X is designed to conquer the Baja while tracking straight and smooth. Add the race-inspired roll cage, full roof and doors, and the X Limited is in a class of its own.

## WILDCAT X LIMITED




### WILDCAT X LIMITED RIDE PACKAGE FEATURES

- Full aluminum doors
- Front and rear aluminum bumpers
- Molded roof
- Limited edition paint and graphics
- only non homologated version available



## IRG<sup>TM</sup> PRO SUSPENSION

For 2017, we set out to raise the bar in offroad suspension. So, naturally, we teamed up with the man who not only raises the bar in everything racing, but just plain puts it out of reach of the competition with his 30 years of experience designing and developing race machines. We couldn't be more excited to partner with offroad racing legend Robby Gordon.



Race ready and Baja inspired, this new design keeps the tire patch perpendicular to the ground for superior traction and control.

### New Trailing Arm Design

The rear trailing arm gives you the travel you need with the tracking control you want in fast conditions. Add the King adjustable dual-rate spring shocks, and when it's time to drop the hammer, your tires stay in a straight track throughout suspension travel. That means less side-to-side movement so you can maintain the line.

# 2017

## SPECIFICATIONS



ALTERRA					FIS	Alterra TRV	
Alterra 300	Alterra 400	Alterra 450	Alterra 700	Alterra 700 XT EPS	1000 XT EPS (MY 2016)	Alterra TRV 550	Alterra TRV 550 XT EPS
270, SOHC, 4-stroke, 4-Valve	366, SOHC, 4-stroke, 4-Valve	443 SOHC, 4-Stroke, 4-Valve w/EFI	695, SOHC, 4-Stroke, 4-Valve w/EFI	695, SOHC, 4-Stroke, 4-Valve w/EFI	951, SOHC, 4-Stroke, 4-Valve w/EFI	545, SOHC, 4-Stroke, 4-Valve w/EFI	545, SOHC, 4-Stroke, 4-Valve w/EFI
Liquid with Fan	Air & Oil Cooled	Liquid with Fan	Liquid with Fan	Liquid with Fan	Liquid with Fan	Liquid with Fan	Liquid with Fan
Bore & Stroke (mm)	72.7x65.2	89x71.2	89x71.2	102x85	102x85	92x71.6	92x82
Alternator Capacity (amps)	12.5	23	23	28	28	28	28
Fuel Capacity gal. (liters)	4.3 (16.3)	4.3 (16.3)	4.3 (16.3)	6 (22.7)	6 (22.7)	5.7 (21.6)	5.3 (20.1)
Power Steering	-	-	-	-	Electronic Power Steering (EPS)	Electronic Power Steering (EPS)	-
Transmission	Automatic CVT with EBS Hi/Lo Range, Neutral and Reverse	Automatic CVT with EBS Hi/Lo Range, Neutral and Reverse	Automatic CVT with EBS Hi/Lo Range, Neutral and Reverse	Automatic CVT with EBS Hi/Lo Range, Neutral, Reverse and Park	Automatic CVT with EBS Hi/Lo Range, Neutral, Reverse and Park	Automatic CVT with EBS Hi/Lo Range, Neutral, Reverse	Automatic CVT with EBS Hi/Lo Range, Neutral and Reverse
Drive System	2 WD	2/4 WD Electric	2/4 WD Electric	2/4 WD + Electronic Front Differential Lock	2/4 WD + Electronic Front Differential Lock	2/4 WD + Electronic Front Differential Lock	2/4 WD + Electronic Front Differential Lock
Brakes Front / Rear	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc
Front Suspension / Travel in. (cm)	Double A-Arm / 5 (12.7)	Double A-Arm / 7 (17.8)	Double A-Arm / 7 (17.8)	Double A-Arm / 10 (25.4)	Double A-Arm / 10 (25.4)	Double A-Arm / 10 (25.4)	Double A-Arm / 10 (25.4)
Rear Suspension / Travel in. (cm)	Swing Arm / 5 (12.7)	Double A-Arm / 7 (17.8)	Double A-Arm / 7 (17.8)	Double A-Arm / 10 (25.4)	Double A-Arm / 10 (25.4)	Double A-Arm / 10 (25.4)	Double A-Arm / 10 (25.4)
Ground Clearance in. (cm)	10.2 (25.9)	10 (25.4)	10 (25.4)	11 (27.9)	11 (27.9)	11 (27.9)	11 (27.9)
Shocks	Coil-Over	Coil-Over	Coil-Over	Coil-Over	Coil-Over	Coil-Over	Coil-Over
Front Tire Size	22x7-10	24x8-12	25x8-12	25x8-12	25x9-12	25x8-12	25x8-12
Rear Tire Size	22x10-10	24x10-12	25x10-12	25x10-12	25x10-12	25x10-12	25x10-12
Wheels	Powder-Coated Steel	Powder-Coated Steel	Powder-Coated Steel	Powder-Coated Steel	Aluminum	Aluminum	Powder-Coated Steel
Overall Size LxWxH cm	186.9 x 105.2 x 111.8	214.1 x 114.3 x 118.9	214.1 x 114.3 x 118.9	212 x 124 x 127	212 x 124 x 127	215.4 x 120.7 x 120	232.6 x 124.7 x 120.6
Wheelbase in. (cm)	46.4 (117.9)	48 (121.9)	48 (121.9)	52 (132.1)	52 (132.1)	52 (132.1)	58 (147.3)
Dry Weight - NH version - kg	216	279	279	333	340	350	404
Front/Rear Rack or Box Capacity lbs. (kg)	50 (22.7) / 100 (45.4)	75 (34) / 150 (68)	75 (34) / 150 (68)	100 (45.4) / 200 (90.7)	100 (45.4) / 200 (90.7)	100 (45.4) / 200 (90.7)	100 (45.4) / 200 (90.7)
Hitch Type	Hitch w. 50mm Ball	Hitch w. 50mm Ball w. Trailer connector 7-pin	Hitch w. 50mm Ball w. Trailer connector 7-pin	Hitch w. 50mm Ball w. Trailer connector 7-pin	Hitch w. 50mm Ball w. Trailer connector 7-pin	Hitch w. 50mm Ball (no elec. wiring)	Hitch w. 50mm Ball w. Trailer connector 7-pin
Instrumentation	Digital	Digital	Digital	Digital	Digital	Digital	Digital
Lighting	Halogen Headlights and Taillights	Halogen Headlights and Taillights	Halogen Headlights and Taillights	Dual LED Headlights a. LED Taillights LED Indicators	Dual LED Headlights a. LED Taillights LED Indicators	Halogen Headlights and Taillights	Dual LED Headlights a. LED Taillights LED Indicators
Available Colors	Red	Green	Green, Red	Black (MY 2017) Red (MY 2016)	Black Metallic Paint: L7e-B1 / LOF / T3 True Timber Camo: LOF / T3	Team Arctic Green Metallic Paint	Black
Automotive-Style Latching Hood	-	-	-	-	-	-	-
Automotive-Style Paint	-	-	-	-	Standard (excl. Camo Models)	Standard	-
Back Up Lights	-	-	-	-	-	-	-
Bumpers	Accessory	Accessory	Accessory	Accessory	Accessory	Accessory	Accessory
Center Rubber Dash Compartment	-	-	-	-	-	-	-
Color-Matched Suspension Arms	-	-	-	-	-	-	-
Dashboard Shift Lever with Park Doors	-	-	-	-	-	-	-
Front Tow Hook	-	-	-	Dual Tow Hook	-	-	-
High-Quality Surlyn Body Panels	-	-	-	-	-	-	-
Infinitely Adjustable Tilt Steering	-	-	-	-	-	-	-
One-Piece Molded Roof	-	-	-	-	-	-	-
Racks	Front and Rear impact-resistant Racks	Front and Rear impact-resistant Racks	Front and Rear impact-resistant Racks	Front and Rear SpeedRack II	Front and Rear SpeedRack II	Front and Rear SpeedRack	Front SpeedRack II
Rear Cargo Box	-	-	-	-	-	-	-
Seating	2-Seater	2-Seater	2-Seater	2-Seater	2-Seater	2-Seater	Single + Passenger Seat / 2-Seater
Storage - Underhood	-	-	-	-	-	-	-
Storage - Rear	-	-	-	1,44 Gal. / 5.5 lt. water-resistant	1,44 Gal. / 5.5 lt. water-resistant	-	1,44 Gal. / 5.5 lt. water-resistant
Operator Presence Control (OPC)	-	-	-	-	-	-	Standard (only T3 homologated models)
Sway Bar	-	-	-	Standard	Standard	Standard	Standard
Tie-Down Hooks	-	-	-	Standard	Standard	Standard	Standard
Winch	3,000 lbs. / 1,360 kg. Winch front	3,000 lbs. / 1,360 kg. Winch front	3,000 lbs. / 1,360 kg. Winch front	3,000 lbs. / 1,360 kg. Winch front	3,000 lbs. / 1,360 kg. Winch front	3,000 lbs. / 1,360 kg. Winch front	3,000 lbs. / 1,360 kg. Winch front
Homologation	In Progress (non homologated models available)	L7e (EU 2002/24), L7e-B1, LOF	L7e (EU 2002/24), LOF, T3	L7e-B1 / LOF / T3 / (T3S MY 2016)	L7e-B1 / LOF / T3	L7e (EU 2002/24), LOF, T3S	LOF / T3S

Specifications in this brochure are subject to change without notice. All Specifications are based on current knowledge - October 2016.



Alterra TRV			CROSSOVER	PROWLER		WILDCAT TRAIL XT	WILDCAT SPORT XT	WILDCAT X LTD
Alterra TRV 700	Alterra TRV 700 XT EPS	Alterra TRV 1000 XT EPS	XC 450	Prowler 500	Prowler HDX 700 XT EPS	Wildcat Trail XT	Wildcat Sport XT	Wildcat X LTD EPS
695, SOHC, 4-Stroke, 4-Valve w/EFI	695, SOHC, 4-Stroke, 4-Valve w/EFI	951, V-Twin, SOHC, 4-Stroke, 4-Valve w/EFI	443, SOHC, 4-stroke, 4-Valve w/EFI	443, SOHC, 4-Stroke, 4-Valve w/EFI	695, SOHC, 4-Stroke, 4-Valve w/EFI	700, 4-Stroke, Twin Cylinder	700, 4-Stroke, Twin Cylinder	951, V-Twin, SOHC, High Output 4-Stroke
Liquid with Fan	Liquid with Fan	Liquid with Fan	Liquid with Fan	Liquid with Fan	Liquid with Fan	Liquid with Fan	Liquid with Fan	Liquid with Dual Fan
102x85	102x85	92x71.6	89x71.2	89x71.2	102x85	76.9x75.3	76.9x75.3	92x71.6
28	28	28	23	28	28	36	36	36
5,3 (20.1)	5,3 (20.1)	5,3 (20.1)	4,3 (16.3)	8,5 (32.2)	7,4 (31)	7,4 (28)	7,4 (28)	8,8 (33.3)
-	Electronic Power Steering (EPS)	Electronic Power Steering (EPS)	-	-	Electronic Power Steering (EPS)	- / [Only non homologated units]	- / [Only non homologated units]	Electronic Power Steering (EPS)
Automatic CVT with EBS Hi/Lo Range, Neutral and Reverse	Automatic CVT with EBS Hi/Lo Range, Neutral and Reverse	Automatic CVT with EBS Hi/Lo Range, Neutral and Reverse	Automatic CVT with EBS Hi/Lo Range, Neutral and Reverse	Automatic CVT with EBS, Hi/Lo Range, Reverse and Park	Automatic CVT with EBS, Hi/Lo Range, Reverse and Park	Rapid Response Clutch, Hi/Lo Range, Reverse and Park	Rapid Response Clutch, Hi/Lo Range, Reverse and Park	Rapid Response Clutch, Hi/Lo Range, Reverse and Park
2/4 WD + Electronic Front Differential Lock	2/4 WD + Electronic Front Differential Lock	2/4 WD + Electronic Front Differential Lock	2/4 WD Electric	2/4 WD + Electronic Front Differential Lock	2/4 WD + Electronic Front Differential Lock	2/4 WD + Electronic Front Differential Lock	2/4 WD + Electronic Front Differential Lock	2/4 WD + Electronic Front Differential Lock
Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc w. Dual Piston Caliper / Hydraulic Disc	Hydraulic Disc w. Dual Piston Caliper / Hydraulic Disc
Double A-Arm / 10 (25.4)	Double A-Arm / 10 (25.4)	Double A-Arm / 10 (25.4)	Double A-Arm / 7 (17.8)	Double A-Arm / 7.5 (19.1)	Double A-Arm / 10 (25.4)	Double A-Arm / 10 (25.4)	Double A-Arm / 12.2 (31)	Double A-Arm / 17 (43.2)
Double A-Arm / 10 (25.4)	Double A-Arm / 10 (25.4)	Double A-Arm / 10 (25.4)	Double A-Arm / 7 (17.8)	Double A-Arm / 7.5 (19.1)	Double A-Arm / 10 (25.4)	Double A-Arm / 10.5 (26.7)	Double A-Arm / 12.6 (32)	RG PRO / 15.5 (39,4)
11 (27.9)	11 (27.9)	11 (27.9)	10 (25.4)	10 (25.4)	10 (25.4)	10 (25.4)	13 (33)	12 (25.4)
Coil-Over	Coil-Over	Coil-Over	Coil-Over	Coil-Over	Front Coil-Over / Rear FOX FLOAT Coil-Over	FOX Shocks	JRi ECX-1 Compression Adjustable Shocks	King Shocks
25x8-12	25x8-12	25x8-12	23x8-12	25x8-12	26x9R14	25x8-12	26x8-12	27x10R15
25x10-12	25x10-12	25x10-12	23x10-12	25x10-12	26x11R14	25x10-12	26x10-12	27x10R15
Powder-Coated Steel	Aluminum	Aluminum	Aluminum	Powder-Coated Steel	Aluminum	Aluminum	Aluminum	KMC Cast Aluminum
232.6 x 124.7 x 120.6	232.6 x 124.7 x 120.6	232.6 x 124.7 x 120.6	186.2 x 120.7 x 118.9	270.3 x 143.3 x 194.8	327.7 x 152.4 x 200.7	280.7 x 127 x 163.3	280.7 x 152.4 x 163.3	325.1 x 162.6 x 169.7
58 (147.3)	58 (147.3)	58 (147.3)	48 (121.9)	72 (182.9)	85 (215.9)	84.6 (214.9)	84.6 (214.9)	95 (241.3)
404	411	421	272	477	1363 (618.2)	1003 (455)	1061 (481,3)	1380 (626)
100 (45.4) / 200 (90.7)	100 (45.4) / 200 (90.7)	100 (45.4) / 200 (90.7)	-	500 (226.8) Cargo Box / 3.5 Underhood Storage 10.5 Under Seat Storage	1000 (453.6) Cargo Box / 25 (11.3) Underhood Storage	300 (136.1)	300 (136.1)	300 (136.1)
Hitch w. 50mm Ball w. Trailor connector 7-pin	Hitch w. 50mm Ball w. Trailor connector 7-pin	Hitch w. 50mm Ball w. Trailor connector 7-pin	Hitch w. 50mm Ball	Rear 2" Receiver	Rear 2" Receiver	Rear 2" Receiver	Rear 2" Receiver	-
Digital	Digital	Digital	Digital	Digital	Digital	Digital	Digital	Analog/Digital
Dual LED Headlights a. LED Taillights LED Indicators	Dual LED Headlights a. LED Taillights LED Indicators	Dual LED Headlights a. LED Taillights LED Indicators	Dual Headlights / Dual Rear Taillights	Halogen Headlights / Halogen Taillight	Dual Halogen Headlights w/LED Light Bar / Rear Halogen Taillight	Dual Halogen Headlights and LED Taillights	Dual Halogen Headlights and LED Taillights	Dual LED Headlights and Taillights
Black: L7e-B1 / LOF / T3 Red: LOF / T3	White Metallic Paint Team Arctic Green Metallic Paint	White Metallic Paint	Black Metallic Paint	Green Red	Black	Vibrant Red Paint	Black	Dynamic Grey
-	-	-	-	-	Standard	-	-	-
-	Standard	Standard	Standard	-	-	Standard	Standard	Standard
-	-	-	-	-	-	-	-	Standard
Accessory	Accessory	Accessory	Standard	Accessory	Accessory	-	-	Front and Rear Aluminium
-	-	-	-	-	Standard	-	-	-
-	-	-	-	-	-	Standard	Standard	Standard
-	-	-	-	-	Standard	-	-	-
-	-	-	-	-	Side Restraint Net	Half	Half	Full Aluminium
-	-	-	-	-	Standard	-	-	-
-	-	-	-	-	Standard	-	-	-
-	-	-	-	-	Standard	Standard	Standard	Standard
-	-	-	-	-	Accessory	-	-	Standard
Front SpeedRack II	Front SpeedRack II	Front SpeedRack II	-	-	-	-	-	-
-	-	-	-	Transformable Tilting 500-lb / 226,8 kg	Transformable Tilting 1,000-lb / 453,6 kg	300-lb / 136,1kg Capacity	300-lb / 136,1kg Capacity	300-lb / 136,1kg Capacity
Single + Passenger Seat / 2-Seater	Single + Passenger Seat / 2-Seater	Single + Passenger Seat / 2-Seater	2-Seater	Two-Passenger Bench	Three-Passenger Bench	Race-Inspired Highback / 2-Seater	Race-Inspired Highback / 2-Seater	Race-Inspired Highback / 2-Seater
-	-	-	-	3.5 Gal. / 13,25 lt., Water-Resistant	22 Gal. / 83 lt., Water-Resistant	Accessory	Accessory	-
1,44 Gal. / 5,5 lt. water-resistant	1,44 Gal. / 5,5 lt. water-resistant	1,44 Gal. / 5,5 lt. water-resistant	-	-	-	-	-	-
Standard (only T3 homologated models)	Standard (only T3 homologated models)	Standard (only T3 homologated models)	-	-	-	-	-	-
Standard	Standard	Standard	-	Standard	Standard	Front & Rear	Standard	-
Standard	Standard	Standard	-	-	Standard	-	-	Standard
3.000 lbs. / 1.360 kg. Winch front	3.000 lbs. / 1.360 kg. Winch front	3.000 lbs. / 1.360 kg. Winch front	3.000 lbs. / 1.360 kg. Winch front	Accessory	Accessory	Accessory	Accessory	Accessory
L7e-B1 / LOF / T3	L7e-B1 / LOF / T3	LOF / T3	L7e (EU 2002/24), LOF	Off Road	Off Road	L7e (EU 2002/24), LOF, T3S, Off Road	In Progress (non homologated models available)	Off Road

# EXPLORE YOUR WORLD on an ARCTIC CAT



**ARCTICCAT.EU**

Arctic Cat online. Everything from machines and specs down to the accessories and gear you need to take on the world.

Your Arctic Cat Dealer:



**ARCTIC CAT GmbH** - Industriestraße 43 - A-5600 St. Johann/Pg. - Austria

**ARCTIC CAT Deutschland GmbH** - Münchener Straße 67 - 83395 Freilassing - Germany

**ARCTIC CAT UK Ltd** - Industriestraße 43 - A-5600 St. Johann/Pg. - Austria

**ARCTIC CAT France SARL** - 1434 Rue Aristide Bergés - ZI Centr'Alp - 38430 Moirans - France

**ARCTIC CAT Italia SRLU** - Via Galileo Galilei 2/A - 39100 Bolzano (BZ) - Italy

AC009-393 EN / AC009-394 DE / AC009-395 FR / AC009-396 IT